


Dungen Tornet

Article number: 277150

Product sheet
Assembly instructions
Clearance space
Maintenance
Certificate of Conformity



Product Sheet

The multi-purpose equipment in the series including parallel bars, rings, and ropes for a wide range of exercises.

Article number: 277150

Designer: Jan Loftén

Material: Stainless steel and hampex rope

Country of manufacture: Sweden

Environmental labeling: See website

The equipment complies with the standard for permanently installed outdoor fitness equipment SS-EN 16630:2015.

Glänta Design



Kvarnholmsvägen 77

131 33 Nacka, Sweden

+46 (0) 70 731 38 13

info@glantadesign.com

www.glantadesign.com




GLÄNTA

Assembly instructions 1/5


It is important to follow the assembly instructions for the equipment to function properly and be safe to use. Glänta takes no responsibility for equipment that has been assembled or attached to the ground in any other way than stated in the provided assembly instructions.

Table of contents




Assembly instructions 2/5

Foundation



Note!

The outer edge of the foundation is chamfered at a 45-degree angle.




(mm)

- 400 Superstructure
- 200 Reinforced concrete
- Ø10 S I30 top/bottom reinforcement
- 200 Substructure (crushed stone)
- 1 Geotextile


Assembly instructions 3/5

Anchoring

Mount the equipment centrally on the foundation using expansion bolts M12X120.




Assembly instructions 4/5



GLÄNTA

Assembly instructions 5/5




GLÄNTA

Clearance space

Dwg files with safety distances can be downloaded from glantadesign.com

Free fall height: >1000 mm

Requirements for shock-absorbing surfacing: Yes



Guidelines for clearance space

No fixed or hard objects inside the **movement area** (fences, other gym equipment, trees, rocks, etc.) See **Fig 1** and **Fig 2**.

Fig 1 - Not OK






Fig 2 - Not OK



The movement area may overlap, provided the **training space** do **not**. See **Fig 3**.

Fig 3 - OK



Movement area — — — — —
Training space - - - - -

Maintenance

Maintenance - Stainless Steel

Products made of stainless steel may need to be polished with Autosol Chrome Shine or steel wool.

Construction

About 3 months after installation, all bolts should be tightened, and this should be repeated annually when the wooden parts have dried after winter

Glänta Design

Kvarholmsvägen 77
131 33 Nacka, Sweden
+46 (0) 70 731 38 13
info@glantadesign.com
www.glantadesign.com

AB Knut Westerbergs Repslageri | www.swedishrope.se

Manufacturer:	AB Knut Westerbergs Repslageri
Contact:	Markus Westerberg
e-mail:	markus.westerberg@swedishrope.se

Certificate of Conformity


PAH-regulations COMMISSION REGULATION (EU) No 1272/2013

As manufacturer / the manufacturer's authorized representative established within the EEA, we declare under our sole responsibility that the equipment follows the provisions of the directives stated above.

Denomination
Type of equipment

Hampex
Rope

Authorized signature and stamp


2022-11-10

**Knut Westerbergs Repslageri
NORRKÖPING**