

ORG1209GY Swing - XL-classic h 2,5m single stainless

2023.02.27 1/5 Furkan Biceroglu

2023.08.20 A4 --

Mounting

Elverdal A/S ©



Elverdal





2023.02.27



2/5



Furkan Biceroglu



2023.08.20



A3 A4

A4




1:50

Mounting

Elverdal A/S ©



Elverdal



145cm



14,6m²
20m



0+



4h



C20/25

1,7m³



150kg



EN 1176



ORG1209GY Swing - XL-classic h 2,5m single stainless



2023.02.27



3/5



Furkan Biceroglu



2023.08.20



A4




1:50

Mounting

Elverdal A/S ©



Elverdal



145cm



14,6m²
20m



0+



4h



C20/25

1,7m³



150kg



EN 1176





2023.02.27



4/5



Furkan Biceroglu



2023.08.20



A4





--

Mounting

Elverdal A/S ©



Elverdal



145cm



14,6m²
20m



0+



4h



1,7m³



150kg



EN 1176

i



2023.02.27



5/5



Furkan Biceroglu

Mounting

Elverdal A/S ©

Elverdal



2023.08.20



A4





--



#

i

1	ELV75300035	x1
2	HORG1205GY	x2
3	ORG1920XD	x1
4	ELV03120140	x8
5	ELV90120000	x8
6	ELV95120025	x16
7	ELV92120000	x16
8	ELV88100600	x4
9	ORG1209GY	x1



3'

2 x 1,94m

Ø6x18x8
mm

4 M12x140mm



5 M12




6 M12x25mm



7 M12



9



145cm

14,6m²
20m

0+



4h



C20/25

1,7m³

150kg



EN 1176

i